

保証声明書

2016年温室効果ガス排出量
アサヒグループホールディングス株式会社

保証業務の条件

この保証声明書は、アサヒグループホールディングス株式会社に対して作成されたものである。

ロイドレジスタークオリティアシュアランスリミテッド (LRQA) は、アサヒグループホールディングス株式会社 (以下、組織という) より、同社の 2016 年 (2016 年 1 月 1 日～2016 年 12 月 31 日) の温室効果ガス (GHG) 排出量データ (以下、報告書という) の保証業務を委嘱された。

報告書は、組織とその日本及び海外の連結会社の、直接的な GHG 排出量 (スコープ 1¹⁾) 及びエネルギー起源の間接的な GHG 排出量 (スコープ 2¹⁾) に係わるものである。報告書は、日本、オーストラリア及びニュージーランド以外の海外の関連会社による GHG 排出量を除外している。

¹⁾ スコープの定義は、The Greenhouse Gas Protocol – A Corporate Accounting and Reporting Standard による。

管理責任

組織は、報告書の作成と開示されたデータ及び情報管理の効果的な内部統制の維持に対して責任を有する。また、LRQA の責任は、組織との契約に従い、報告書の保証業務を実施することである。

報告書は、最終的に組織に承認され、引き続き組織の責任の下にある。

保証手続

LRQA の検証は、組織が自ら定めた報告手順に従って算定され、報告書に明記された GHG 排出量データについて、限定的保証を提供するために、「ISO14064-3:2006 温室効果ガスに関する主張の妥当性確認及び検証のための仕様並びに手引」に従って実施された。

結論を得るために、保証業務はサンプリング手法を用いて、次の事項を含んで実施された。

- GHG 排出量データと記録の管理に係わるプロセスのレビュー
- GHG 排出量データと記録の管理に係わる主な担当者へのインタビュー
- 組織の本社、アサヒビール株式会社北海道工場及びカルピス株式会社岡山工場事業所を訪問し、組織が自ら定めた報告手順が効果的に実行されているかを確認
- 集計された 2016 年の GHG 排出量実績データ及び記録の検証

保証水準と重要性

この保証声明書で表明された検証意見は、限定的保証水準及び検証人の専門的判断に基づいて決定された。

検証意見

上記の保証手続において、下の表 1 に要約された報告書の GHG 総排出量が重要な点で正しくないことを示す事実はなかった。また、報告書が、組織が自ら定めた報告手順に従って作成されていないことを示す事実は認められなかった。

LRQA 推奨事項

組織が、特に国内及び海外グループ会社に対して内部検証を含む品質保証と管理システムを引き続き改善することを推奨する。

日付: 2017年6月20日

清水佐衣子

清水佐衣子

主任検証者

ロイドレジスタークオリティアシュアランスリミテッド

神奈川県横浜市西区みなとみらい2-3-1 クイーンズタワーA 10F

LRQA Reference: YKA4005296

表 1. アサヒグループホールディングス株式会社の 2016 年 GHG 排出量の要約

スコープ	トン CO ₂ e
直接的な GHG 排出量 (スコープ 1)	366,914
エネルギー起源の間接的な GHG 排出量 (スコープ 2、マーケットベース)	256,040
合計 GHG 排出量	622,954

This Assurance Statement is subject to the provisions of this legal section:

This Assurance Statement is only valid when published with the Report to which it refers. It may only be reproduced in its entirety.

Lloyd's Register Group Limited, its affiliates and subsidiaries, including Lloyd's Register Quality Assurance Ltd. (LRQA), and their respective officers, employees or agents are, individually and collectively, referred to in this Legal Section as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Due to inherent limitations in any internal control, it is possible that fraud, error, or non-compliance with laws and regulations may occur and not be detected. Further, the verification was not designed to detect all weakness or errors in internal controls so far as they relate to the requirements set out above as the verification has not been performed continuously throughout the period and the verification carried out on the relevant internal controls were on a test basis. Any projection of the evaluation of control to future periods is subject to the risk that the processes may become inadequate because of changes in conditions, or that the degree of compliance with them may deteriorate.

The English version of this Assurance Statement is the only valid version. Lloyd's Register assumes no responsibility for versions translated into other languages.

In the case of any conflict between the English and Japanese versions of this legal section, the English version shall prevail.